

## Video 1 = 1:03:34

9:00 - difference between radionics and A2.

Radionics - developed as a mineral assaying device. Amplitude of signal compared with the amount of material = gold. Now used to monitor, balance livestock, plants, etc.

Down side: your body becomes part of the "circuitry" of what you're doing. This causes fatigue.

Can work on insects:

Operator is the "mind" of the radionics unit.

dials can work with both positive as well as negative frequencies.

Takes a lot of training to become proficient.

The A2 is Intrinsic which is an octave below radionics/scalar.

A2 = not part of the circuit,

A2 cannot work on insects

Pretty much "works on its own". Works off preprogrammed software complete with safety codes preventing anything negative from happening, creates isopathic remedies far superior than homeopathic remedies in much less time.

17:00 = Model A2

Developed for chemically sensitive clients

19: 15 = vocabulary

What to say/not to say. Don't say Cure, Heal, Disease, (cannot diagnose an illness) Do say: Recovery, Balance, Reference the bodies "energytics"

20:15 **How to clean the unit.** Clean it! The smallest dust, hair, etc "contaminates" the unit with "energy signals". Lack of results can be from the Cleanliness of the unit.

Use Windex wipes = good degreaser. Rubbing alcohol too IF you are sensitive to the ammonia in the Windex.

Wipe the entire unit. Especially important: **clean the wells**. DON'T TOUCH THE INSIDE OF THE WELL with your hands.

Caution: IF you use both the Windex AND Rubbing alcohol, the rubbing alcohol can remove the lettering! Use one or the other not both.

23:30 = **Overview of A2**

4" wells = 1 qt jar. Concave bottom meaning that small items will slide to bottom.

Cover over photo well to prevent contamination since photos are no longer used.

Switches - lighted when switch is active. Three main center are "work horse".

Three switches to right are "sending switches".

Bottom lights: considerer them to be "memory banks" which read different areas of the magnetic field being monitored.

Side: Power, chime, output plug, 9-vold battery connector, serial plate. Open the back and you will automatically lose the memory. Serial number important.

Call/check with them periodically to see IF they have update the software.

Bottom DON'T OPEN THE UNIT. IF broken, send it in to prevent very costly re-loading software that will automatically eliminated IF opened.

Works at the energetic, not the bodily, level

29:45 = Inherited IDF switch (green light) Intrinsic Data Field = misaims, mutated miasmas, problems within the cellular system. Misaim = genetic predisposition/weakness toward a specific event/ something e.g. asthma. In homeopathy one takes specific miasmas to "remove it".

32:00 = Chemical Sensitivities: Heavy metals: arsenic, lead, mercury, aluminum and formedylde (just as bad as heavy metals) are the main 5. When IDF switch turned on/activated, unit will scan for heavy metals and miasmas, including mutated miasmas. When heavy metal bonds to a miasm = mutated miasm. (Skin lesion = soarism(?) Homeopathic will help clear up skin but generally it doesn't really get rid of it. Next visit maybe they find a heavy metal. so give something to work against the heavy metal and yet often don't get to the real issue because the miasm has "mated" with a heavy metal so the body doesn't know what it is. Thus muscle testing often won't "find" what the body doesn't recognize. The IDF function will look for fragments, "paddles" of virus, etc. Once it "finds" enough fragments it will help the body identify and reverse. When to use IDF: genetic predisposition for weakness, heavy metal, toxins, suspected mutated miasmas.

35:45 = Chemical Sensitive Switch. (An important function) A must for chemical sensitive people. IF people can tolerate energy they are not chemical switch. The switch turns down the A2 overall power settings which ranges from 20 - 22. People = 7-8, animal 3-4, chemical sensitive person 2-3. Switch can be left on all the time for chemical sensitive people. So whereas the A2 can work at 20-22 units of energy, when this switch is turned on it works at 2-3 max.

39:00 = Damping Field Switch = all three of these switches work independent of unit itself. Damping filters out electromagnetic frequencies, from power lines, cell phones, computers/monitors, radio waves. The A2 filters out any interfering electromagnets. Alan leaves his unit "on" 100% of the time. Will filter out scalar fields (radionics).

43:10 = 3 main switches located in center. Antidote, Clone/(Copy/Balance?), Auto. These switches are 3-position switch. Antidote = will make an antidote to whatever. Copy is copy. Set at Auto the unit does its work. ANNA = Antidote, Neutralize, Auto, Auto. When in doubt, place all switches in Auto.

47:10 = Power Switch. Takes control of the entire unit = On/Off.

48:35 = Sending Unit. Transmits. Plant/Mineral, Animal Kingdoms. complex Muscle groups, = Animal. Blood/Bone = Plant. IF unsure, set at Auto and unit will address all three kingdoms at once. With sending unit On the bottom lights will cycle through. The unit cycles/analyzes for 40 seconds after which it will chime telling you it has completed a cycle. Then Imprinter Light will shut off for 5 seconds. Then start a new scan. IF balancing for a period of time, just set to Auto so unit doesn't chime after 40 seconds.

50:20 = side panel. Always use an alkaline battery. Serial plate tells company what update you have. All hardware, software, etc is identified via the number. anything plugged into the output jack will stop the chime e.g. scanning cable. Can use scanning cable to wrap around food to "clean up food". Wall adapter/international unit so works anywhere in the world.

53:40 = Input/Output Wells. Plastic won't affect chemical sensitive persons. KEEP WELLS CLEAN! The scanning circuit starts about 1/2 way down.

57:00 = Practical issues. Safety Codes are built into this unit so it will not be used for "dark" purposes. Radionics can be used thus. Safety Codes allow the A2 to scan the target, reduce power as needed for bodies condition at that time. Eg. put a led fishing sinker into input well to "balance out lead" and unit will sense when to decrease, increase, etc signal.

1:03:34 - end of video 1

## Video 2 = 1:09:47

000 = Polaroid pictures; Don't take pictures of red???.; Head to waist.

11:40 Polaroid camera

12:30 What is a reagent? A reagent is anything that has an energy pattern and can be used as an energy source e.g. Vit c, essential oil, etc.

16:00 First aid and common sense. Use common sense. IF you need to see a doctor, do it.

17:20 ANNA = 95% of the use of the A2 will be ANNA

AN = Antidote

N = Neutralize

A = Auto

**Actually AN N A A**

AN – set Antidote switch to Antidote

N – set Neutralize switch to Neutralize

A – Turn Power switch ON (the A2 runs this cycle automatically for 40 seconds)

A – Another Auto: Once the chime rings turn power off. Reset Antidote and Neutralize switches to straight up. Turn on Power switch and A2 will run another cycle – 40 seconds – automatically. After chime, turn off power and remove reagents.

Example: Vit C in the Input well, a bottle of water in the Output well.

20:35 Minerals Minerals are the Achilles heel to the A2. Minerals, unlike vitamins, work the same in all “bodies”. Without the proper levels of minerals the A2 will have difficulty “seeing you”. The A2 looks for “tracks” and/or “voids”. Minerals will be distributed equally within the system but not IF there are issues. The body sends minerals to the properly functioning cells.

Limited success, why? When have you last cleaned your machine? How is your mineral intake? Minerals IS everything! Under stress? Burn minerals faster than anything. Organic trace minerals. Take them!

The A2 works better on mineralized bodies.

25:50 **Quick Fix.** Using a tissue wipe out the well, place tissue over the well then place fingers within the wells = both hands. The tissue keeps any finger oil separated from well. The Input well will analyze one hand while the Output well on the right will “put back” energy. How do you set the settings? ANNA! ANNA! ANNA! Keeping the fingers in the wells, below the ½ level and turn the Power button ON with a finger. Stop when chime rings. 2<sup>nd</sup> cycle (follow ANNA!) will continue to neutralize and do whatever else is needed. Good for anything acute, IF you feel sluggish, need a quick shot of energy. More you use it the better the effects and the longer they will last.

30:30 = **General Imprinting**, term we use is isopathic remedy, radionic term is potentizing.

Is there something in the bottle/label which tests weak? Take pill out of bottle. OR IF use bottle, wipe it down good = Windex wipes. Isopathic general imprint into the bottle itself = Optimizing = put in Output well. ANNA, Reset for Auto Auto. The unit will “clean up” what's inside the bottle allowing anyone to assimilate/utilize the Vit C. Can use for food, cat food, cosmetics, etc. Be creative.

35:35 **Chemical Sensitive imprinting OR Creating a counter measure** IF you are sensitive to something.

Dog treats, grape juice, body lotion, chop sticks, cough drops, etc. Put chemical sensitive “hand” in Input well with the body lotion located in the Output well. A2 will determine IF this is a problem AND make a counter measure into the Lotion bottle. You will find that the lotion goes into skin much quicker than “normal” and skin is now softer. Now, even though “I” was the “witness”, the safety codes will make sure that it works well with everyone.

REMINDER: ALWAYS wipe clean unit and whatever you will be putting in well/s. ALWAYS allow the A2 unit to go through it's 40 second cycle and chime AND THEN, during that 5 second pause, turn off the A2. NEVER turn the unit off mid-cycle.

41:15 **Food imprinting/Allergy Imprinting General Isopathic Imprint** = 75% tuned to everyone. IF your hand/picture is "in the unit" then ANNA. 100% Isopathic Imprint for whoever is in the picture. The A2 frequencies will go through metal (can of food).

44:55 **Scanning cable** = 10' long. Emission range is 12" diameter = 24". Cable is bi-directional (signals go both directions, gathering and transmitting in both directions). IF holding in your hand, leave 3" past your hand/fist. Wrap the cable around product (food, vitamin, etc) and ANNA. For large grocery bags, 10-15 minutes probably max. Scanning cable shuts off chime. The end of the cable lights up. NOTE: When you have a number of dissimilar items (various grocery items) the unit takes 50% to "Scan" and 50% to "Balance", thus give it more time to do it's job. Just after shave, probably just ANNA.

50:25 Cleaning up Jewelry Sometimes Jewelry can "take you down".

55:50 **High altitude airborne aerosol spraying** (chem trails), crop dusters, etc. Need Ziploc baggie, coffee filter, ink pen, piece of wood, thumb tacks. Place Folded coffee filter (fold in half and in half again = looks like a pie wedge). Write today's date and date you take down from outside (Outside it will be gathering "airborne contaminants". Do for two weeks. Open coffee filter, thumb take to wood, leave wood outside. Coffee will act as a blotter and will gather this "data". Use latex or rubber gloves to remove coffee filter because the coffee filter is now consider HazMat. (Date on/Date off. IF health issues during this time, make notation). Place in Input Well. Place a spray bottle with water in Output Well. NOTE: The A2 "cleans up" any chemicals, etc in spray bottle. ANNA. IF chemical sensitive person is in house, add their picture and ANNA again. NOW the final spray mixture is "fine tuned" to that person in addition to entire family. When you spray 10 squirts/room the dust particles will seek out the particles. The droplets will also detoxify whatever is on the floor. This spray is safe to drink!

## Video 3 = 1:45minutes

000 Home/Office Detoxify Spraying – especially for sensitive people.

Similar to above. Need scotch tape, spray bottle, Peel off 6 – 8” of tape, stick that tape to floor, walls, furniture, window sills, heater ducts, overhead fan. Fold tape onto itself and label which room you’re gathered contamination/debris from. Put all the rooms in the baggie. Muscle test which strip to add to A2 first. Place the mostly non-stick tape into the photo slot OR in the Input Well, either will work. Place spray bottle of water in Output well, By putting all the tapes in an Input Well at one time = too much “information” to process = takes a long time. Just run each room separately. You’ve made an isopathic remedy to spray in the home/office. Ten squirts per room. Save samples – maybe they contain some pesticide spray that was sprayed in the neighborhood and the “sample” might be worth “rescanning” sometime later.

10:00 Memory Mapping (Muscle Memory, use for athletes) Use a small “personal” spray bottle. Write today’s date on bottle and put in Output Well. Switch settings: Auto Auto Sending unit is ON = NOT ANNA. IF your picture is in the A2, and is “on” as you perform, then the A2 is “mapping” the “Memory” of that “performance cycle”. Now, you can use this spray bottle in the Input Well next time you have a high performance event.

18:50 Overview of AM3 Top is the same as the Video 1 Overview of A2. Side panel: right to left: **Power switch = AM3 (up)** or Matrix 3 (down), Frequency indicator green light, Frequency switch: **7.83 HZ (up)** or 12:00 HZ (down – for use in southern hemisphere. **Just use 7.83**) . Positive/**Negative switch for pad(down)**, Note: Negative is for removing, Positive is for Promoting) Green (start), Red (stop) buttons. Above these switches are lights for Antidote, Neutralize, Auto, Auto = ANNA. With the knob you can set this unit to run 1 ANNA (setting is ANNA), 5, 10 or 15 ANNA OR Continuous ANNA. Chime beeps twice when finished and then unit shuts off except for continuous. Used for Allergy elimination processes.

Remote Input, Remote Start, Pad Output. Pad Output is for the magnetic pad which comes with the AM3. HOW to use? Patients come in, take the vials (I guess you have selected for them) and put in the input well, then they lay down on the magnetic pad while turning the unit to 5 (or 10, or 15) ANNA. When finished, they drop the vial off for reuse by others. He has a 25 hour avoidance video (below) to watch on this.

AM3 is power hungry so this unit needs

25:15 Magnetic Pad: Lay on Smooth side, not seam side = south pole, lays down. Place pad on message table with seam side down and cover with clean sheet. Magnets are on the bottom side which should be down. These can be felt. Patient lays on non-seam (North) side. Pad contains electronics so don’t wash. Pad plugs into Pad Output.

28:50 25 hour avoidance period for allergy elimination process. Client **MUST** avoid allergen for 25 hrs, the pad won’t eliminate this need. Reprogram nervous system to not react to allergen. IF client is expecting to receive 5 (?) programs to “reset” the client’s nervous system and it doesn’t “take” because they didn’t avoid the allergen, this repeating – maybe 2, 3, 4 times – can cause the client to bad mouth. This might be taken care of by observing the 25 hr avoidance.

Pad is a “flexible well” identifying whoever is on it as “witness”

39:30 A2 vs AM3 Pro’s/Cons AM3 is stronger because of power it takes to send to the pad. Other than that, they are the same. AM3 can automatically do ANNA’s PLUS it can continuously do ANNA’s. AM3 better at getting “into” the nervous system. Mat is, obviously, much better than the scan cable.

44:30 DMI Device interface Designed to connect to the output jack of the A2 and audio plug/MP3/frequency generator/parasite zapper/rife unit/F160, F165/ F180. Tune such that both LED's are the same intensity. Frequency In, Pattern Out. Could imprint that Frequency/Pattern into liquid which you can drink.

51:00 P2 = small unit. Personal Pulse; Transmits neurological algorithms e.g. for ADD. **No longer being sold.** PETS – can see circuit board. Personal Energetic Trainers. Transmit 3 feet. Smoke color for stress, blue for focus (replaced ADD), green = recovery, red = performance for sports. At all times the body thinks it's in "perfect health" even when it is spiraling downwards.

1:08:25 EM Pulse Transmits a subcarrier frequency into Electro Magnetic band.

1:12: 50 International Power supply

1:17:30 Pen Amour

1:28:00 A2 = stress management system NOT a radionics device. Removes or creates counter measures to stress. Removes stress from the object/witness.

1:34:25 **24/7/365** Auto-Auto, Sending unit On set for Plants. Continuously scans the Witness contained in the well. Every 40 seconds it takes a brand new snapshot and responds accordingly. It "teaches" the witness's system how to "work", balances